

List of Publications of H. Bernhard Schlegel

1. Wolfe, S.; Schlegel, H. B.; Whangbo, M. -H.; Bernardi, F.; On the origin of the Bohlmann bands. *Can. J. Chem.*, **1974**, *52*, 3787-3792.
2. Bernardi, F.; Csizmadia, I. G.; Schlegel, H. B.; Tiecco, M.; Whangbo, M. -H.; Wolfe, S.; The irrelevance of d-orbital conjugation. II. Non-empirical molecular orbital calculations on the CH₂SH radical. *Gazz. Chim. Ital.*, **1974**, *104*, 1101-1108.
3. Wolfe, S.; Schlegel, H. B.; Csizmadia, I. G.; Bernardi, F.; The chemical dynamics of symmetric and asymmetric reaction coordinates. *J. Am. Chem. Soc.*, **1975**, *97*, 2020-2024.
4. Bernardi, F.; Csizmadia, I. G.; Mangini, A.; Schlegel, H. B.; Whangbo, M. -H.; Wolfe, S.; The irrelevance of d-orbital conjugation. I. The alpha-thiocarbanion. A comparative quantum chemical study of the static and dynamic properties and proton affinities of carbanions adjacent to oxygen and to sulfur. *J. Am. Chem. Soc.*, **1975**, *97*, 2209-2218.
5. Bernardi, F.; Csizmadia, I. G.; Schlegel, H. B.; Wolfe, S.; On the pi-donating abilities of sulfur and oxygen. A comparative quantum chemical investigation of the static and dynamic properties and gas phase acidities of +CH₂OH and +CH₂SH. *Can. J. Chem.*, **1975**, *53*, 1144-1153.
6. Schlegel, H. B.; Wolfe, S.; Mislow, K.; Ab initio molecular orbital calculations on silaethylene H₂Si=CH₂. The theoretical infrared spectrum. *J. Chem. Soc. Chem. Comm.*, **1975**, 246-247.
7. Wolfe, S.; Schlegel, H. B.; Csizmadia, I. G.; Bernardi, F.; The structure of acetaldehyde enolate anion. *Can. J. Chem.*, **1975**, *53*, 3365-3370.
8. Schlegel, H. B.; Wolfe, S.; Bernardi, F.; Ab initio computation of force constants. I. The second and third period hydrides. *J. Chem. Phys.*, **1975**, *63*, 3632-3638.
9. Schlegel, H. B.; Wolfe, S.; Bernardi, F.; Ab initio computation of force constants. II. The estimation of dissociation energies from ab-initio SCF calculations. *Can. J. Chem.*, **1975**, *53*, 3599-3601.
10. Bernardi, F.; Pedulli, G. F.; Guerra, M.; H. B. Schlegel; Ab initio studies on ion pairs. The sodium-formaldehyde ion pair. *Gazz. Chim. Ital.*, **1975**, *105*, 711-722.
11. Schlegel, H. B.; "Some Theoretical Aspects of Internal Molecular Motion: Energy Surfaces and Molecular Vibrations", Ph.D. thesis, Queen's University, **1975**, 269 pages.
12. Bernardi, F.; Epiotis, N. D.; Cherry, W.; Schlegel, H. B.; Whangbo, M. -H.; Wolfe, S.; A molecular orbital interpretation of the static, dynamic and chemical properties of CH₂X radicals. *J. Am. Chem. Soc.*, **1976**, *98*, 469-478.
13. Colpa, J. P.; Schlegel, H. B.; Wolfe, S.; An inequality formation of potential energy differences. *Can. J. Chem.*, **1976**, *54*, 526-530.
14. Wolfe, S.; Schlegel, H. B.; Whangbo, M. -H.; On the rigidity of planar tricoordinate carbon. *Can. J. Chem.*, **1976**, *54*, 795-799.
15. Bernardi, F.; Epiotis, N. D.; Yates, R.; Schlegel, H. B.; Non-bonded attractions in methyl vinyl ether. *J. Am. Chem. Soc.*, **1976**, *98*, 2385-2390.
16. Bernardi, F.; Schlegel, H. B.; Wolfe, S.; Ab initio computation of force constants. IV. A simple procedure for the evaluation of X-H bond dissociation energies. *J. Mol. Structure*, **1976**, *35*, 149-153.
17. Schlegel, H. B.; King, F. W.; An ab initio calculation of the cyclopropylcarbinyl radical. *J. Mol. Structure*, **1976**, *35*, 155-158.

18. King, F. W.; Schlegel, H. B.; An ab initio study of bicyclobutyl radical. An anti W long-range coupled system. *J. Mag. Resonance*, **1976**, 22, 389-391.
19. Dougherty, D. A.; Hounshell, W. D.; Schlegel, H. B.; Bell, R. A.; Mislow, K.; Long bonds and through-bond coupling. *Tetrahedron Lett.*, **1976**, 39, 3479-3482.
20. Schlegel, H. B.; Mislow, K.; Bernardi, F.; Bottoni, A.; An ab initio investigation into the S_N2 reaction: Frontside versus backside attack in the reaction of F⁻ with CH₃F. *Theor. Chim. Acta*, **1977**, 44, 245-256.
21. Whangbo, M. -H.; Schlegel, H. B.; Wolfe, S.; Molecular orbitals from group orbitals. III. Quantitative perturbation molecular orbital analysis of ab initio SCF-MO wavefunctions. *J. Am. Chem. Soc.*, **1977**, 99, 1296-1304.
22. Schlegel, H. B.; Wolfe, S.; Bernardi, F.; Ab initio computation of force constants. IV. The anharmonic force field and vibrational frequencies of methylamine, methanol and methanethiol. *J. Chem. Phys.*, **1977**, 67, 4181-4193.
23. Schlegel, H. B.; Wolfe, S.; Bernardi, F.; Ab initio computation of force constants. V. The anharmonic force field and vibrational frequencies of methyl fluoride and methyl chloride. *J. Chem. Phys.*, **1977**, 67, 4194-4198.
24. Bernardi, F.; Schlegel, H. B.; Whangbo, M. -H.; Wolfe, S.; A comparative quantum chemical investigation of the bonding in first and second row ylides. *J. Am. Chem. Soc.*, **1977**, 99, 5633-5636.
25. Csizmadia, I. G.; Theodorakopoulos, G.; Schlegel, H. B.; Whangbo, M. -H.; Wolfe, S.; The balance between nuclear and electronic energy in conformational change. *Can. J. Chem.*, **1977**, 55, 986-991.
26. Schlegel, H. B.; Coleman, B.; Jones, Jr., M.; An ab initio molecular orbital calculation of the structure of silabenzene. *J. Am. Chem. Soc.*, **1978**, 100, 6499-6501.
27. Goetz, D. W.; Schlegel, H. B.; Allen, L. C.; Ab initio electronic structure calculations for classical and nonclassical structures of the 2-norbornyl cation. *J. Am. Chem. Soc.*, **1977**, 99, 8118-8120.
28. Dougherty, D. A.; Schlegel, H. B.; Mislow, K.; Bond lengthening and through-bond interactions in p,p'-dibenzene and related molecules. *Tetrahedron*, **1978**, 34, 1441-1447.
29. Bernardi, F.; Schlegel, H. B.; Tonachini, G.; Ab initio computation of force constants. VI. Applications of the force relaxation method for geometry optimization. *J. Mol. Structure*, **1978**, 48, 243-248.
30. Chandrasekhar, J.; Schleyer, P. v. R.; H. B. Schlegel; The 1-bicyclo [1.1.1] pentyl cation as a CH⁺.trimethylmethane complex. *Tetrahedron Lett.*, **1978**, 36, 3393-3396.
31. Pople, J. A.; Krishnan, R.; Schlegel, H. B.; Binkley, J. S.; Electron correlation theories and their application to the study of simple reaction potential surfaces. *Int. J. Quantum Chem.*, **1978**, 14, 545-560.
32. Pople, J. A.; Krishnan, R.; Schlegel, H. B.; Binkley, J. S.; Derivative studies in Hartree-Fock and Møller-Plesset theories. *Int. J. Quantum. Chem. Quantum Chem. Symp.*, **1979**, 13, 225-241.
33. Kost, D.; Schlegel, H. B.; Mitchell, D. J.; Wolfe, S.; Molecular orbitals from group orbitals. IX. The problem of hybrid lone pairs. *Can. J. Chem.*, **1979**, 57, 729-732.
34. Krishnan, R.; Schlegel, H. B.; Pople, J. A.; Derivative studies in configuration-interaction theory. *J. Chem. Phys.*, **1980**, 72, 4654-4655.
35. Harding, L. B.; Schlegel, H. B.; Krishnan, R.; Pople, J. A.; A Møller-Plesset study of the H₄CO potential energy surface. *J. Phys. Chem.*, **1980**, 84, 3394-3401.

36. Binkley, J. S.; Whiteside, R. A.; Krishnan, R.; Seeger, R.; DeFrees, D. J.; Schlegel, H. B.; Topiol, S.; Kahn, L. R.; Pople, J. A.; GAUSSIAN 80, an ab initio molecular orbital program. Quantum Chemistry Program Exchange, Indiana University, Bloomington, Ind. *QCPE*, **1980**, 13, 406.
37. Whiteside, R. A.; Binkley, J. S.; Krishnan, R.; DeFrees, D. J.; Schlegel, H. B.; Pople, J. A.; "Carnegie-Mellon Quantum Chemistry Archive", Carnegie-Mellon University, Pittsburgh, Penn., **1980**.
38. Gund, P.; Schlegel, H. B.; Theoretical calculations and drug design. *Ann. N. Y. Acad. Sci.*, **1981**, 367, 510-517.
39. DeFrees, D. J.; Krishnan, R.; Schlegel, H. B.; J. A. Pople; A theoretical study of the fluorohydroxyl boranes $\text{BF}_n(\text{OH})_{(3-n)}$. *Inorg. Chim. Acta*, **1981**, 47, 19-23.
40. Harding, L. B.; Schlegel, H. B.; Krishnan, R.; Pople, J. A.; Theoretical studies on the unimolecular decomposition of methanol, in "Potential Energy Surfaces and Dynamics Calculations", Truhlar, D. G. ed., (Plenum, New York), **1981**, 169-183.
41. Schlegel, H. B.; Poe, M.; Hoogsteen, K.; Models for the binding of methotrexate to *Escherichia coli* dihydrofolate reductase. Direct effect of carboxylate of ASP 27 upon UV spectrum of methotrexate. *Mol. Pharmacol.*, **1981**, 20, 154-158.
42. Bock, M.; Smith, G. M.; Schlegel, H. B.; Theoretical estimation of pK_a values of pyrazinylquandine derivatives. *J. Org. Chem.*, **1981**, 46, 1925-1927.
43. Schlegel, H. B.; FORCE/DRVEXP, analytical energy derivatives and gradients package. Quantum Chemistry Program Exchange, Indiana University, Bloomington, Ind. *QCPE*, **1981**, 13, 427.
44. Hartman, G. D.; Schlegel, H. B.; The relation of the carcinogenic/mutagenic potential of arylamines to their singlet-triplet nitrenium ion energies. *Chemico-Biological Interactions*, **1981**, 36, 319-330.
45. Schlegel, H. B.; Ab initio energy derivatives calculated analytically, in "Computational Theoretical Organic Chemistry", Csizmadia, I. G.; Daudel, R.; eds., (D. Reidel, Holland), **1981**, 129-159.
46. Pople, J. A.; Schlegel, H. B.; Krishnan, R.; DeFrees, D. J.; Binkley, J. S.; Frisch, M. J.; Whiteside, R. A.; Hout, R. F.; Hehre, W. J.; Molecular orbital studies of vibrational frequencies. *Int. J. Quantum Chem., Quantum Chem. Symp.*, **1981**, 15, 269-278.
47. Mitchell, D. J.; Wolfe, S.; Schlegel, H. B.; A theoretical study of the CSH_4 and CPH_4 hypersurfaces, geometries, tautomerization and dissociation of sulfonium and phosphonium ylides. *Can. J. Chem.*, **1981**, 59, 3280-3292.
48. Wolfe, S.; Mitchell, D. J.; Schlegel, H. B.; Theoretical studies of $\text{S}_\text{N}2$ transition states. 1. Geometries. *J. Am. Chem. Soc.*, **1981**, 103, 7692-7694.
49. Wolfe, S.; Mitchell, D. J.; Schlegel, H. B.; Theoretical studies of $\text{S}_\text{N}2$ transition states. 2. Intrinsic barriers, rate-equilibrium relationships and the Marcus equation. *J. Am. Chem. Soc.*, **1981**, 103, 7694-7696.
50. Schlegel, H. B.; Optimization of equilibrium geometries and transition structures. *J. Comput. Chem.*, **1982**, 3, 214-218.
51. Amato, J. S.; Karady, S.; Reamer, R. A.; Schlegel, H. B.; Springer, J. P.; Weinstock, L. M.; 1,2,5-thiadiazole-1-oxides III. An experimental and theoretical investigation of the inversion barrier. *J. Am. Chem. Soc.*, **1982**, 104, 1375-1380.
52. Wolfe, S.; Mitchell, D. J.; Schlegel, H. B.; Minot, C.; Eisenstein, O.; Theoretical studies of $\text{S}_\text{N}2$ transition states. The alpha effect. *Tetrahedron Lett.*, **1982**, 23, 615-618.

53. Eisenstein, O.; Schlegel, H. B.; Kayser, M. M.; A theoretical study of borohydride addition to formaldehyde: A one step, non-synchronous transition state. *J. Org Chem.*, **1982**, *47*, 2886-2891.
54. Schlegel, H. B.; Gund, P.; Fluder, E. M.; Tautomerization of formamide, 2-pyridone and 4-pyridone. An ab initio study. *J. Am. Chem. Soc.*, **1982**, *104*, 5347-5351.
55. DeFrees, D. J.; Raghavachari K.; Schlegel, H. B.; Pople, J. A.; Effect of electron correlation on theoretical equilibrium geometries. 2. Comparison of third order perturbation and configuration interaction results with experiment. *J. Am. Chem. Soc.*, **1982**, *104*, 5576-5580.
56. Duchovic, R. J.; Hase, W. L.; Schlegel, H. B.; Frisch, M. J.; Raghavachari K.; Ab initio potential energy curve for CH bond dissociation in methane. *Chem. Phys. Lett.*, **1982**, *89*, 120-125.
57. Schlegel, H. B.; An efficient algorithm for calculating ab initio energy gradients using s,p Cartesian gaussians. *J. Chem. Phys.*, **1982**, *77*, 3676-3681.
58. Wolfe, S.; Mitchell, D. J.; Schlegel, H. B.; Theoretical studies of S_N2 transition states. Substituent effects. *Can. J. Chem.*, **1982**, *60*, 1291-1294.
59. Schlegel, H. B.; An ab initio molecular orbital study of the tautomerism of 4-hydroxy-2-pyridinone. *Int. J. Quantum. Chem.*, **1982**, *22*, 1041-1047.
60. Hase, W. L.; Schlegel, H. B.; Resolution of a paradox concerning the forward and reverse rate constants for C₂H₅ → H + C₂H₄. *J. Phys. Chem.*, **1982**, *86*, 3901-3904.
61. Schlegel, H. B.; Ab initio molecular orbital studies of H + C₂H₄ and F + C₂H₄. I. Comparison of the equilibrium geometries, transition structures and vibration frequencies. *J. Phys. Chem.*, **1982**, *86*, 4878-4882.
62. Schlegel, H. B.; Bhalla, K. C.; Hase, W. L.; Ab initio molecular orbital studies of H + C₂H₄ and F + C₂H₄. II. Comparison of the energetics. *J. Phys. Chem.*, **1982**, *86*, 4883-4888.
63. Schlegel, H. B.; Robb, M. A.; MCSCF gradient optimization of the H₂CO → H₂ + CO transition structure. *Chem. Phys. Lett.*, **1982**, *93*, 43-46.
64. Binkley, J. S.; Frisch, J. M.; DeFrees, D. J.; Krishnan, R.; Whiteside, R. A.; Schlegel, H. B.; Fulder, E. M.; Pople, J. A.; GAUSSIAN 82, Carnegie-Mellon Chemistry Publishing Unit, Pittsburgh, PA, **1982**.
65. Hiberty, P. C.; Ohnanesian, G.; Schlegel, H. B.; Theoretical ab initio study of 1,3 dipolar cycloaddition of fulminic acid to acetylene. Support for Firestone's mechanism. *J. Am. Chem. Soc.*, **1983**, *105*, 719-723.
66. Rohlfing, C. M.; Allen, L. C.; Cook, C. M.; Schlegel, H. B.; The structure of (H₃O)⁻. *J. Chem. Phys.*, **1983**, *78*, 2498-2503.
67. Schlegel, H. B.; Sosa, C.; Ab initio molecular orbital studies of Cl + C₂H₄ and H + C₂H₃Cl. *J. Phys. Chem.*, **1984**, *88*, 1141-1145.
68. Bernardi, F.; Robb, M. A.; Schlegel, H. B.; Tonachini, G.; An MCSCF study of [1,3] and [1,2] sigmatropic shifts in propene. *J. Am. Chem. Soc.*, **1984**, *106*, 1198-1202.
69. Duchovic, R. J.; Hase, W. L.; Schlegel, H. B.; An analytic function for the H + CH₃ → CH₄ potential energy surface. *J. Phys. Chem.*, **1984**, *88*, 1339-1347.
70. Lohr, L. L.; Schlegel, H. B.; Morokuma, K.; Theoretical studies of the gas-phase proton affinities of molecules containing phosphorus-carbon multiple bonds. *J. Phys. Chem.*, **1984**, *88*, 1981-1987.
71. Schlegel, H. B.; Binkley, J. S.; Pople, J. A.; First and second derivatives of two electron integrals over Cartesian Gaussians using Rys polynomials. *J. Chem. Phys.*, **1984**, *80*, 1976-1981.

72. Sosa, C.; Schlegel, H. B.; Carbene and silylene insertion reactions. Ab initio calculations on the effect of fluorine substitution. *J. Am. Chem. Soc.*, **1984**, *106*, 5847-5852.
73. Schlegel, H. B.; Estimating the Hessian for gradient-type geometry optimizations. *Theor. Chim. Acta*, **1984**, *66*, 333-340.
74. Schlegel, H. B.; Heats of formation of fluorine substituted silylenes, silyl radicals and silanes. *J. Phys. Chem.*, **1984**, *88*, 6254-6258.
75. Bernardi, F.; Bottoni, A.; Robb, M. A.; Schlegel, H. B.; Tonachini, G.; The structure of the tetramethylene diradical intermediate. *Chem. Phys. Lett.*, **1984**, *108*, 599-601.
76. Lumma, Jr., W. C.; Baldwin, J. J.; Bicking, J. B.; Bolhofer, W. A.; Hoffman, J. M.; Phillips, B. T.; Robb, C. M.; Torchiana, M. L.; Schlegel, H. B.; Smith, G. M.; Hirshfield, J. M.; Snyder, J. P.; Springer, J. P.; Structure-Activity, theoretical and x-ray studies on intramolecular interactions in a series of novel histamine H₂ receptor antagonists. *J. Med. Chem.*, **1984**, *27*, 1047-1052.
77. Bernardi, F.; Bottoni, A.; McDouall, J. J.; Robb, M. A.; Schlegel, H. B.; MC-SCF gradient calculations of transition structures in organic reactions. *Faraday Symp. Chem. Soc.*, **1984**, *19*, 137-147.
78. Schlegel, H. B.; Sosa, C.; SiH₂ + SiH₃F → Si₂H₅F. An ab initio study of silylene insertion into a silicon fluorine bond. *J. Phys. Chem.*, **1985**, *89*, 537-541.
79. Mitchell, D. J.; Schlegel, H. B.; Shaik, S. S.; Wolfe, S.; Relationships between geometries and energies of identity S_N2 transition states: the dominant role of the distortion energy and its origin. *Can. J. Chem.*, **1985**, *63*, 1642-1648.
80. Bach, R. D.; Wolber, G. J.; Schlegel, H. B.; The origin of barriers to thermally allowed six-electron pericyclic reactions. The effects of HOMO-LUMO interactions on the trimerization of acetylene. *J. Am. Chem. Soc.*, **1985**, *107*, 2837-2841.
81. Bernardi, F.; Bottoni, A.; Robb, M. A.; Schlegel, H. B.; Tonachini, G.; An MC-SCF Study of the thermal cycloaddition of two ethylenes. *J. Am. Chem. Soc.*, **1985**, *107*, 2260-2265.
82. Schlegel, H. B.; Potential energy curves using unrestricted Møller-Plesset perturbation theory with spin annihilation. *J. Chem. Phys.*, **1986**, *84*, 4530-4534.
83. Sosa, C.; Schlegel, H. B.; Ab initio calculations on the barrier heights for hydrogen atom addition to ethylene and formaldehyde. The importance of spin projection. *Int. J. Quantum Chem.*, **1986**, *29*, 1001-1015, *30*, 155-156.
84. Tonachini, G.; Schlegel, H. B.; Bernardi, F.; Robb, M. A.; The addition of 1Δ_g oxygen molecule and ethene to give dioxetane: an MCSCF study and characterization of some previously proposed pathways. *Theochem.*, **1986**, *138*, 221-227.
85. Ignacio, E. W.; Schlegel, H. B.; Bicerano, J.; Ab initio calculations on (SiH₃)₂F⁺: stability in the gas phase and a model for bridging fluorine atom in ion-implanted amorphous silicon. *Chem. Phys. Lett.*, **1986**, *127*, 367-373.
86. Bicerano, J.; Keem, J. E.; Schlegel, H. B.; Theoretical studies of hydrogen storage in binary Ti-Ni, Ti-Cu and Ti-Fe alloys. *Theor. Chim. Acta*, **1986**, *70*, 265-296.
87. Frisch, J. M.; Binkley, J. S.; DeFrees, D. J.; Raghavachari, K.; Schlegel, H. B.; Whiteside, R. A.; Fox, D. J.; Martin, R. L.; Fulder, E. M.; Melius, C. F.; Kahn, L. R.; Stewart, J. J. P.; Bobrowicz, F. W.; Pople, J. A.; GAUSSIAN 86, Carnegie-Mellon Chemistry Publishing Unit, Pittsburgh, PA, **1986**.
88. Pinto, B. M.; Schlegel, H. B.; Wolfe, S.; Bond angle variations in XCY fragments and their relation to the anomeric effect. *Can. J. Chem.* **1987**, *65*, 1658-1662.

89. Schlegel, H. B.; Optimization of equilibrium geometries and transition structures. *Adv. Chem. Phys.*, **1987**, *67*, 249-286.
90. Tonachini, G.; Schlegel, H. B.; Hartree-Fock derivatives with respect to basis set exponents. Integral derivatives using Rys polynomials. *J. Chem. Phys.* **1987**, *87*, 514-519.
91. DeFrees, D. J.; Raghavachari, K.; Schlegel, H. B.; Pople, J. A.; Schleyer, P. v. R.; Binary association complexes of LiH, BeH₂, and BH₃. Relative isomer stabilities and barrier heights for their interconversion; energy barriers in the dimerization reactions. *J. Phys. Chem.*, **1987**, *91*, 1857-1864.
92. Sosa, C.; Schlegel, H. B.; Calculated barrier heights for OH + C₂H₂ and OH + C₂H₄ using unrestricted Møller-Plesset perturbation theory with spin annihilation. *J. Am. Chem. Soc.* **1987**, *109*, 4193-4198.
93. Sosa, C.; Schlegel, H. B.; An ab initio study of the reaction pathways for OH + C₂H₄ → HOCH₂CH₂ → products. *J. Am. Chem. Soc.* **1987**, *109*, 7007-7015.
94. Illies, A. J.; McKee, M. L.; Schlegel, H. B.; Ab initio study of the CO₂ dimer and the CO₂ ion complexes, (CO₂)₂⁺ and (CO₂)₃⁺. *J. Phys. Chem.* **1987**, *91*, 3489-3494.
95. Maccagnani, G.; Schlegel, H. B.; Tonachini, G.; An ab initio theoretical study of the ring opening of ethene episulphoxide under base attack. *J. Org. Chem.* **1987**, *52*, 4961-4966.
96. Sosa, C.; Schlegel, H. B.; A theoretical study of the infrared vibrational intensities of CH₃F. *J. Chem. Phys.* **1987**, *86*, 6937-6945.
97. McDouall, J. J. W.; Robb, M. A.; Niazi, U.; Bernardi, F.; Schlegel, H. B.; An MCSCF study of the mechanisms for 1,3 dipolar cycloadditions. *J. Am. Chem. Soc.* **1987**, *109*, 4642-4648.
98. Sosa, C.; Schlegel, H. B.; Ab initio calculations on H + C₂H₂ → C₂H₃ using unrestricted Møller-Plesset perturbation theory with spin projection. *Int. J. Quantum Chem. Quantum Chem. Symp.* **1987**, *21*, 267-282.
99. Shaik, S. S.; Schlegel, H. B.; Wolfe, S.; Transition state geometries and the magnitudes of S_N2 barriers: A theoretical study. *J. Chem. Soc. Chem. Comm.*, **1988**, 1322-1323.
100. Schlegel, H. B.; Møller-Plesset perturbation theory with spin projection. *J. Phys. Chem.* **1988**, *92*, 3075-3078.
101. Schlegel, H. B.; Sosa, C.; Ab initio calculations on F + H₂ → HF + H and OH + H₂ → H₂O + H using unrestricted Møller-Plesset perturbation theory with spin projection. *Chem. Phys. Lett.* **1988**, *145*, 329-333.
102. Francisco, J. S.; Schlegel, H. B.; Photodissociation dynamics of ethylsilane: ab initio and RRKM study. *J. Chem. Phys.* **1988**, *88*, 3736-3746.
103. Tonachini, G.; Bernardi, F.; Schlegel, H. B.; Stirling, C. J. M.; An ab initio theoretical study of the eliminative ring fission in cyclopropylcarbinyl and cyclobutylcarbinyl anions. *J. Chem. Soc. Perkin 2* **1988**, 705-709.
104. Bernardi, F.; Bottoni, A.; Olivucci, M.; Robb, M. A.; Schlegel, H. B.; Tonachini, G.; Do supranantara paths really exist for 2+2 cycloaddition reactions? Analytical computation of MC-SCF Hessians for transition states of C₂H₄ with C₂H₄, singlet O₂, and ketene. *J. Am. Chem. Soc.* **1988**, *110*, 5993-5995.
105. Frisch, J. M.; Head-Gordon, M.; Schlegel, H. B.; Raghavachari, K.; Binkley, J. S.; Gonzalez, C.; DeFrees, D. J.; Fox, D. J.; Whiteside, R. A.; Seeger, R.; Melius, C. F.; Baker, J.; Martin, R.; Kahn, L. R.; Stewart, J. J. P.; Fulder, E. M.; Topiol, S.; Pople, J. A.; GAUSSIAN 88, Gaussian, Inc., Pittsburgh, PA, **1988**.

106. Gonzalez, C.; Schlegel, H. B.; An improved algorithm for reaction path following. *J. Chem. Phys.* **1989**, *90*, 2154-2161.
107. Gonzalez, C.; Sosa, C.; Schlegel, H. B.; An ab initio study of the addition reaction of methyl radical to ethylene and formaldehyde. *J. Phys. Chem.* **1989**, *93*, 2435-2440, 8388.
108. Bach, R. D.; McDouall, J. J. W.; Schlegel, H. B.; Wolber, G. J.; Electronic factors influencing the activation barrier of the Diels-Alder reaction. An ab initio study. *J. Org. Chem.* **1989**, *54*, 2931-2935.
109. McDouall, J. J. W.; Schlegel, H. B.; Francisco, J. S.; A theoretical study of the primary dissociation paths of ethynylsilane. *J. Am. Chem. Soc.* **1989**, *111*, 4622-4627.
110. Gonzalez, C.; Schlegel, H. B.; Francisco, J. S.; Multiple pathways of the direct formation of SiH₂ from the photodissociation of ethylsilane. *Mol. Phys.* **1989**, *66*, 859-862.
111. McDouall, J. J. W.; Schlegel, H. B.; Analytical gradients for UHF and UMP2 energies with single spin annihilation. *J. Chem. Phys.* **1989**, *90*, 2363-2369.
112. Schlegel, H. B.; Analytical second derivatives of two electron integrals over s and p Cartesian gaussians. *J. Chem. Phys.* **1989**, *90*, 5630-5634.
113. Schlegel, H. B.; Some practical suggestions for optimizing geometries and locating transition states. in "New Theoretical Concepts for Understanding Organic Reactions", Bertrán, J.; ed., (Kluwer Academic, the Netherlands), NATO-ASI series C 267, **1989**, pg 33-53.
114. Tonachini, G.; Schlegel, H. B.; Bernardi, F.; Robb, M. A.; MCSCF study of the addition of the ¹Δ_g oxygen molecule to ethene. *J. Am. Chem. Soc.* **1990**, *112*, 483-491.
115. Wolfe, S.; Schlegel, H. B.; On the constitution of dimethylsulfoxide. *Gazz. Chim. Ital.*, **1990**, *120*, 285-290.
116. Ignacio, E. W.; Schlegel, H. B.; Heats of formation of SiH_mF_n calculated by ab initio molecular orbital methods. *J. Chem. Phys.* **1990**, *92*, 5404-5416.
117. Bach, R. D.; Coddens, B. A.; McDouall, J. J. W.; Schlegel, H. B.; Davis, F. A.; The mechanism of oxygen transfer from an oxaziridine to a sulfide and a sulfoxide: a theoretical study. *J. Org. Chem.* **1990**, *55*, 3325-3330.
118. Fox, G. L.; Schlegel, H. B.; An ab initio study of the vibrational frequencies and infrared intensities of CH₂F₂. *J. Chem. Phys.* **1990**, *92*, 4351-4356.
119. Gonzalez, C.; Schlegel, H. B.; Reaction Path Following in Mass-Weighted Internal Coordinates. *J. Phys. Chem.*, **1990**, *94*, 5523-5527.
120. Solà, M.; Gonzalez, C.; Tonachini, G.; Schlegel, H. B.; Gradient optimization of polarization exponents in ab initio MO calculations on H₂SO → HSOH and CH₃SH → CH₂SH₂. *Theor. Chim. Acta*, **1990**, *77*, 281-287.
121. Bach, R. D.; McDouall, J. J. W.; Owensby, A. L.; Schlegel, H. B.; Potential for water catalysis in flavin mediated hydroxylation. A theoretical study. *J. Am. Chem. Soc.*, **1990**, *112*, 7064-7065.
122. Bach, R. D.; McDouall, J. J. W.; Owensby, A. L.; Schlegel, H. B.; Theoretical study of oxygen atom transfer. The role of electron correlation. *J. Am. Chem. Soc.*, **1990**, *112*, 7065-7067.
123. Ignacio, E. W.; Schlegel, H. B.; An ab initio study of the structures and heats of formation of SiH_mF_n⁺ (m+n=1-4). *J. Phys. Chem.*, **1990**, *94*, 7439-7445.
124. Gonzalez, C.; McDouall, J. J. W.; Schlegel, H. B.; An ab initio study of the reactions between methane and the radical species OH, H and ³O. *J. Phys. Chem.*, **1990**, *94*, 7467-7471.

125. Frisch, M. J.; Head-Gordon, M.; Trucks, G. W.; Foresman, J. B.; Schlegel, H. B.; Raghavachari, K.; Robb, M. A.; Binkley, J. S.; Gonzalez, C.; DeFrees, D. J.; Fox, D. J.; Whiteside, R. A.; Seeger, R.; Melius, C. F.; Baker, J.; Martin, R.; Kahn, L. R.; Stewart, J. J. P.; Fulder, E. M.; Topiol, S.; Pople, J. A.; GAUSSIAN 90, Gaussian, Inc., Pittsburgh, PA, **1990**.
126. Schlegel, H. B.; McDouall, J. J. W.; Do you have SCF Stability and convergence problems?. in "Computational Advances in Organic Chemistry, Ögretir, C.; Csizmadia, I. G.; eds., (Kluwer Academic, the Netherlands), NATO-ASI series C 330, **1991**, pg 167-185.
127. Bach, R. D.; McDouall, J. J. W.; Owensby, A. L.; Schlegel, H. B.; Holubka, J. W.; Ball, J. C.; Structure and dynamics of dicyandiamide. A theoretical study. *J. Phys. Org. Chem.* **1991**, *4*, 125-134.
128. Schlegel, H. B.; Frisch, M. J.; Computational Bottlenecks in Molecular Orbital Calculations. in "Theoretical and Computational Models for Organic Chemistry ", Formosinho, J. S.; Csizmadia, I. G.; Arnaut, L. G.; eds., (Kluwer Academic, the Netherlands), NATO-ASI series C 339, **1991**, pg 5-33.
129. Manzanares, C. E.; Walla, D.; Seburg, R.; Wedlock, M. R.; Gonzalez, C.; Schlegel, H. B.; Overtone spectra of C-H bonds and vibrational ab initio study of methoxy boranes. *J. Chem. Phys.* **1991**, *95*, 3031-3039.
130. Ignacio, E. W.; Schlegel, H. B.; On the additivity of basis set effects in some simple fluorine containing systems. *J. Comput. Chem.*, **1991**, *12*, 751-760.
131. Bach, R. D.; Owensby, A. L.; Gonzalez, C.; Schlegel, H. B.; McDouall, J. J. W.; Nature of the transition structure for oxygen atom transfer from a hydroperoxide. Theoretical comparison between water oxide and ammonia oxide. *J. Am. Chem. Soc.* **1991**, *113*, 6001-6011.
132. Bach, R. D.; Owensby, A. L.; Gonzalez, C.; Schlegel, H. B.; Transition structure for epoxidation of alkenes with peroxy acids. A theoretical study. *J. Am. Chem. Soc.*, **1991**, *113*, 2338-2339.
133. Bach, R. D.; Owensby, A. L.; Andrés, J. L.; Schlegel, H. B.; Relative oxygen donor potential of dioxirane and carbonyl oxide. A theoretical study. *J. Am. Chem. Soc.* **1991**, *113*, 7031-7033.
134. Gonzalez, C.; Theisen, J.; Zhu, L.; Schlegel, H. B.; Hase, W. L.; Kinetics of the reaction between HO and HO₂ on the singlet potential energy surface. *J. Phys. Chem.* **1991**, *95*, 6784-6792.
135. Gonzalez, C.; Schlegel, H. B.; Improved algorithms for reaction path following: Higher order implicit algorithms. *J. Chem. Phys.* **1991**, *95*, 5853-5860.
136. Schlegel, H. B.; Following gradient extremal paths. *Theor. Chim Acta*, **1992**, *83*, 15-20.
137. Fox, G. L.; Schlegel, H. B.; An ab initio study of hydrogen atom abstractions from substituted methanes by substituted methyl radicals. *J. Phys. Chem.* **1992**, *96*, 298-302.
138. Gonzalez, C.; Theisen, J.; Zhu, L.; Schlegel, H. B.; Hase, W. L.; Kinetics of the reaction between HO and HO₂ on the triplet potential energy surface. *J. Phys. Chem.* **1992**, *96*, 1767-1774.
139. Ignacio, E. W.; Schlegel, H. B.; An ab initio MO study of the thermal decomposition of fluorinated monosilanes SiH_{4-n}F_n (n=0-4). *J. Phys. Chem.* **1992**, *96*, 1620-1625.
140. Ignacio, E. W.; Schlegel, H. B.; An ab initio MO study of the thermal decomposition of fluorinated disilanes Si₂H_{6-n}F_n (n=0, 1, 2). *J. Phys. Chem.* **1992**, *96*, 1758-1764.
141. Chen, W.; Hase, W. L.; Schlegel, H. B.; Ab initio MO calculations of the thermochemistry of BX, AIX, OBX and OAIX (X = O, F, Cl) in "Gas-Phase Metal Reactions", Fontijn, A.; ed. (Elsevier, the Netherlands), **1992**, 179-187.
142. Shaik, S. S.; Schlegel, H. B.; Wolfe, S.; *Theoretical Aspects of Physical Organic Chemistry: The S_N2 Mechanism* (Wiley, New York), **1992**, 285 pages.

143. Bach, R. D.; Andrés, J. L.; Owensby, A. L.; Schlegel, H. B.; McDouall, J. J. W.; Electronic structure and reactivity of dioxirane and carbonyl oxide. *J. Am. Chem. Soc.* **1992**, *114*, 7207-7217.
144. Frisch, M. J.; Ragazos, I. N.; Robb, M. A.; Schlegel, H. B.; An evaluation of 3 direct MC-SCF procedures. *Chem. Phys. Lett.* **1992**, *189*, 524-8.
145. Ignacio, E. W.; Schlegel, H. B.; An ab initio study of the structures, properties and heats of formation of fluoro- chloro- methanes and silanes, $\text{CH}_{4-m-n}\text{F}_m\text{Cl}_n$ and $\text{SiH}_{4-m-n}\text{F}_m\text{Cl}_n$ ($m, n = 0 - 4$). *J. Phys. Chem.* **1992**, *96*, 5830-5837.
146. Gonzalez, C.; Schlegel, H. B.; Atmospheric chemistry of Titan: An ab initio study of the reaction between nitrogen and methyl radical. *J. Am. Chem. Soc.*, **1992**, *114*, 9118-9122.
147. Schlegel, H. B.; A comparison of geometry optimization with mixed cartesian and internal coordinates. *Int. J. Quantum Chem. Quantum Chem. Symp.* **1992**, *26*, 243-252.
148. Frisch, M. J.; Trucks, G. W.; Head-Gordon, M.; Gill, P. M. W.; Wong, M. W.; Foresman, J. B.; Johnson, B. G.; Schlegel, H. B.; Robb, M. A.; Replogle, E. S.; Gomperts, R.; Andrés, J. L.; Raghavachari, K.; Binkley, J. S.; Gonzalez, C.; Martin, R. L.; Fox, D. J.; DeFrees, D. J.; Baker, J.; Stewart, J. J. P.; Pople, J. A.; GAUSSIAN 92, Gaussian, Inc., Pittsburgh, PA, **1992**.
149. Darling, C. L.; Schlegel, H. B.; An ab initio study of the reaction pathways for $\text{Si}^+ + \text{SiX}_4$ ($X = \text{F}, \text{Cl}$) *J. Phys. Chem.* **1993**, *97*, 1368-1373.
150. Fox, G. L.; Schlegel, H. B.; A curious artifact in the potential energy surface for $\text{F} + \text{HF}$ abstraction reaction *J. Am. Chem. Soc.* **1993**, *115*, 6870-6876.
151. Schlegel, H. B.; Skancke, P. N.; A theoretical study of the reaction pathways for $\text{F}^- + \text{H}_3\text{SiCHO}$ *J. Am. Chem. Soc.* **1993**, *115*, 10916-24.
152. Schlegel, H. B.; Skancke, A.; Thermochemistry, energy comparisons and conformational analysis of hydrazine, triazane and triaminoammonia *J. Am. Chem. Soc.* **1993**, *115*, 7465-7471.
153. Foresman, J. B.; Schlegel, H. B.; Application of the CI-singles method in predicting the energy, properties and reactivity of molecules in their excited states. in "Recent experimental and computational advances in molecular spectroscopy:", Fausto, R.; Hollas, J. M.; ed., (Kluwer Academic, the Netherlands), NATO-ASI series C 406, **1993**, 11-26.
154. Darling, C. L.; Schlegel, H. B.; Heats of formation of SiH_nO and SiH_nO_2 calculated by ab initio molecular orbital methods at the G-2 level of theory. *J. Phys. Chem.* **1993**, *97*, 8207-8211.
155. Su, M.- D.; Schlegel, H. B.; Heats of formation of SiH_mCl_n calculated by ab initio molecular orbital methods. *J. Phys. Chem.* **1993**, *97*, 8732-8735.
156. Su, M.- D.; Schlegel, H. B.; An ab initio MO study of the thermal decomposition of chlorinated monosilanes $\text{SiH}_{4-n}\text{Cl}_n$ ($n=0-4$). *J. Phys. Chem.* **1993**, *97*, 9981-9985.
157. Bach, R. D.; Mintcheva, I.; Kronenberg W. J.; Schlegel, H. B.; Torsional barriers in α -ketoamides. Model studies related to the binding site of FK506. *J. Org. Chem.* **1993**, *58*, 6135-8.
158. Bach, R. D.; Su, M.- D.; Aldabbagh, E.; Andrés, J. L.; Schlegel, H. B.; A theoretical model for the orientation of carbene insertion into saturated hydrocarbons and the origin of the activation barrier. *J. Am. Chem. Soc.*, **1993**, *115*, 10237-46.
159. Bach, R. D.; Andrés, J. L.; Schlegel, H. B.; Structure and reactivity of diamidoiron(III) hydroperoxide. The mechanism of oxygen atom transfer to ammonia *J. Am. Chem. Soc.* **1993**, *115*, 8763-69.

160. Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Gill, P. M. W.; Johnson, B. G.; Wong, M. W.; Foresman, J. B.; Robb, M. A.; Head-Gordon, M.; Replogle, E. S.; Gomperts, R.; Andrés, J. L.; Raghavachari, K.; Binkley, J. S.; Gonzalez, C.; Martin, R. L.; Fox, D. J.; Defrees, D. J.; Baker, J.; Stewart, J. J. P.; Pople, J. A.; GAUSSIAN 92/DFT, Gaussian, Inc., Pittsburgh, PA, **1993**.
161. Gordon, M. S.; Francisco, J. S.; Schlegel, H. B.; Theoretical investigations of the thermochemistry and thermal decomposition of silanes, halosilanes and alkylsilanes. *Advances in Silicon Chemistry* **1993**, 2, 137-185.
162. Peng, C.; Schlegel, H. B.; Combining synchronous transit and quasi-newton methods for finding transition states. *Israeli J. Chem.* **1994**, 33, 449-54.
163. Bach, R. D.; Schlegel, H. B.; Andrés, J. L.; Sosa, C.; A model for the free radical and electrophilic hydroxylation of bicyclo[2.1.0]pentane. *J. Am. Chem. Soc.* **1994**, 116, 3475-82.
164. Schlegel, H. B.; Some thoughts on reaction path following. *Faraday Discussions* **1994**, 90, 1569-74.
165. Bach, R. D.; Su, M.-D.; Schlegel, H. B.; Oxidation of amines and sulphides with hydrogen peroxide and alkyl hydrogen peroxide. The nature of the oxygen transfer step. *J. Am. Chem. Soc.* **1994**, 116, 5379-91.
166. Darling, C. L.; Schlegel, H. B.; Dipole moments, polarizabilities and infrared intensities calculated with electric field dependent functions. *J. Phys. Chem.* **1994**, 98, 5855-61.
167. Darling, C. L.; Schlegel, H. B.; An ab initio study of the initial reactions in silane combustion: $\text{SiH}_3 + \text{O}_2 \rightarrow \text{products}$. *J. Phys. Chem.* **1994**, 98, 8910-13.
168. Schlegel, H. B.; Harris, S. J.; Thermochemistry of BH_mCl_n calculated at the G-2 level of theory. *J. Phys. Chem.* **1994**, 98, 11178-80.
169. Chen, W.; Schlegel, H. B.; Evaluation of S^2 for post-SCF methods and spin projection of UMPn energies. *J. Chem. Phys.* **1994**, 101, 5957-68.
170. Bearpark, M. J.; Robb, M. A.; Schlegel, H. B.; A *direct* method for the location of the lowest energy point on a potential surface crossing. *Chem. Phys. Lett.* **1994**, 223, 269-74.
171. Ayala, P. Y.; Schlegel, H. B.; An ab initio molecular orbital study of $\text{SiH}_2 + \text{F}_2 \rightarrow \text{SiH}_2\text{F}_2$. *Chem. Phys. Lett.* **1994**, 225, 410-15.
172. Bach, R. D.; Andrés, J. L.; Winter, J. E.; Schlegel, H. B.; Ball, J. C.; Holubka, J. W.; A model for adhesion-producing interactions of zinc oxide surfaces with alcohols, amines and alkenes. *J. Adhesion Sci. Technol.* **1994**, 8, 249-259.
173. Chen, W.; Hase, W. L.; Schlegel, H. B.; Ab initio classical trajectory study of $\text{H}_2\text{CO} \rightarrow \text{H}_2 + \text{CO}$ dissociation. *Chem. Phys. Lett.* **1994**, 228, 436-442.
174. Schlegel, H. B.; Frisch, M. J.; Transformation between Cartesian and Pure Spherical Harmonic Gaussians. *Int. J. Quantum Chem.* **1995**, 54, 83-87.
175. Bach, R. D.; Gonzalez, C.; Andrés, J. L.; Schlegel, H. B.; Kinetic Isotope Effects as a Guide to Transition State Geometries for the Intramolecular Cope and Ylide Elimination Reactions. An Ab Initio Study. *J. Org. Chem.* **1995**, 60, 4653-4656.
176. Schlegel, H. B. Geometry optimization on potential energy surfaces. in *Modern Electronic Structure Theory* Yarkony, D. R.; (ed.); World Scientific Publishing, Singapore **1995**, 459-500.

177. Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Gill, P. M. W.; Johnson, B. G.; Robb, M. A.; Cheeseman, J. R.; Keith, T.; Petersson, G. A.; Montgomery, J. A.; Raghavachari, K.; Al-Laham, M. A.; Zakrzewski, V. G.; Ortiz, J. V.; Foresman, J. B.; Cioslowski, J.; Stefanov, B. B.; Nanayakkara, A.; Challacombe, M.; Peng, C. Y.; Ayala, P. Y.; Chen, W.; Wong, M. W.; Andres, J. L.; Replogle, E. S.; Gomperts, R.; Martin, R. L.; Fox, D. J.; Binkley, J. S.; Defrees, D. J.; Baker, J.; Stewart, J. P.; Head-Gordon, M.; Gonzalez, C.; and Pople, J. A.; GAUSSIAN 94 Gaussian, Inc., Pittsburgh PA, **1995**.
178. Chen, W.; Schlegel, H. B.; Ab initio molecular orbital calculations of the mechanism of oxidation of boron and aluminum monohalides. *Chem. Phys. Lett.* **1995**, *241*, 516-521.
179. Bach, R. D.; Mintcheva, I.; Estévez, C. M.; Schlegel, H. B.; Theoretical model for an alternate mechanism for the cytochrome P-450 hydroxylation of quadricyclane. *J. Am. Chem. Soc.* **1995**, *117*, 10121-10122.
180. Peng, C.; Ayala, P. Y.; Schlegel, H. B.; Frisch, M. J.; Using redundant internal coordinates to optimize equilibrium geometries and transition states. *J. Comput. Chem.* **1996**, *17*, 49-56.
181. Yamamoto, N.; Vreven, T.; Robb, M. A.; Frisch, M. J.; Schlegel, H. B.; A direct derivative MC-SCF procedure *Chem. Phys. Lett.* **1996**, *250*, 373-78.
182. Hase, W. L.; Schlegel, H. B.; Balbyshev, V.; Page, M.; An ab initio study of the transition state and forward and reverse rate constants for $C_2H_5 \rightarrow H + C_2H_4$. *J. Phys. Chem.* **1996**, *100*, 5354-61.
183. Bach, R. D.; Shobe, D. S.; Schlegel, H. B.; Nagel, C. J.; Thermochemistry of iron chlorides and their positive and negative ions. *J. Phys. Chem.* **1996**, *100*, 8770-76.
184. Schlegel, H. B.; Baboul, A. G.; Harris, S. J.; Potential surfaces for unimolecular and bimolecular gas phase reactions of BH_mCl_n calculated at the G-2 level of theory. *J. Phys. Chem.* **1996**, *100*, 9774-79.
185. Bach, R. D.; Schilke, I. L.; Schlegel, H. B.; The energetics of valence isomerism in the norbornadiene-quadracyclane system. *J. Org. Chem.* **1996**, *61*, 4845-47.
186. Baboul, A. G.; Schlegel, H. B.; Structures and energetics of some simple silicon-phosphorus compounds: SiH_mPH_n , $SiH_mPH_nSiH_o$ and $(SiH_3)_3P$. An ab initio molecular orbital study *J. Am. Chem. Soc.* **1996**, *118*, 8444-51.
187. Wittbrodt, J. M.; Schlegel, H. B.; Some reasons not to use spin projected density functional theory. *J. Chem. Phys.* **1996**, *105*, 6574-77.
188. Bach, R. D.; Ayala, P. Y.; Schlegel, H. B.; A Reassessment of the bond dissociation energies of peroxides. An ab initio study. *J. Am. Chem. Soc.* **1996**, *118*, 12758-65.
189. Glukhovtsev, M. N.; Pross, A.; Schlegel, H. B.; Bach, R. D.; Radom, L.; Gas-Phase identity S_N2 reactions of halide anions and methyl halides with retention of configuration. *J. Am. Chem. Soc.* **1996**, *118*, 11258-64.
190. Martinez, F. N.; Schlegel, H. B.; Newcomb, M.; Ab-initio molecular orbital calculations on the methyl substituted cyclopropylcarbinyl radical. *J. Org. Chem.* **1996**, *61*, 8547-50.
191. Wittbrodt, J. M.; Schlegel, H. B.; An ab initio study of the thermal decomposition of dichlorosilane. *Chem. Phys. Lett.* **1997**, *265*, 527-31; *269*, 391.
192. Wittbrodt, J. M.; Schlegel, H. B.; Estimating stretching force constants for geometry optimization. *TheoChem.* **1997**, *398*, 55-61.
193. Guzei, I. A.; Baboul, A. G.; Yap, G. P. A.; Rheingold, A. L.; Schlegel, H. B.; Winter, C. H.; Surprising titanium complexes bearing η^2 -pyrazolato ligands: Synthesis, structure and molecular orbital studies. *J. Am. Chem. Soc.* **1997**, *119*, 3387-3388.

194. Ayala, P. Y.; Schlegel, H. B.; A combined method for determining reaction paths, minima and transition state geometries. *J. Chem. Phys.* **1997**, *107*, 375-384.
195. Bach, R. D.; Glukhovtsev, M. N.; Gonzalez, C.; Marquez, M.; Estévez, C. M.; Baboul, A. G.; Schlegel, H. B.; Nature of the Transition Structure for Alkene Epoxidation by Peroxyformic Acid, Dioxirane, and Dimethyldioxirane: A Comparison of B3LYP Density Functional Theory With Higher Computational Levels. *J. Phys. Chem. A* **1997**, *101*, 6092-100.
196. Vreven, T.; Bernardi, F.; Garavelli, M.; Olivucci, M.; Robb, M. A.; Schlegel, H. B.; Ab Initio Photoisomerization Dynamics of a Simple Retinal Chromophore Model. *J. Am. Chem. Soc.* **1997**, *119*, 12687-8.
197. Baboul, A. G.; Schlegel, H. B.; Improved Method for Calculating Projected Frequencies along a Reaction Path. *J. Chem. Phys.* **1997**, *107*, 9413-17.
198. Shaik, S.; Danovich, D.; Sastry, G. N.; Ayala, P. Y.; Schlegel, H. B.; Dissociative Electron Transfer, Substitution and Borderline Mechanisms in Reactions of Ketyl Radical Anions. Differences and Difficulties in Their Reaction Paths. *J. Am. Chem. Soc.* **1997**, *119*, 9237-45.
199. Baboul, A. G.; Schlegel, H. B.; Glukhovtsev, M. N.; Bach, R. D.; Computational Study on the Nature of the Transition Structure for Oxygen Transfer from Dioxirane and Carbonyloxide. *J. Comput. Chem.* **1998**, *19*, 1353-69.
200. Ayala, P. Y.; Schlegel, H. B.; Identification and Treatment of Internal Rotation in Normal Mode Vibrational Analysis. *J. Chem. Phys.* **1998**, *108*, 2314-25.
201. Schlegel, H. B.; Geometry Optimization, in *Encyclopedia of Computational Chemistry*, Schleyer, P. v. R.; Allinger, N. L.; Clark, T.; Gasteiger, J.; Kollman, P. A.; Schaefer III, H. F.; Schreiner, P. R. (eds.); Wiley, Chichester, **1998**, 1136-42.
202. Schlegel, H. B.; Reaction Paths, in *Encyclopedia of Computational Chemistry*, Schleyer, P. v. R.; Allinger, N. L.; Clark, T.; Gasteiger, J.; Kollman, P. A.; Schaefer III, H. F.; Schreiner, P. R. (eds.); Wiley, Chichester, **1998**, 2432-37.
203. Schlegel, H. B.; Spin Contamination, in *Encyclopedia of Computational Chemistry*, Schleyer, P. v. R.; Allinger, N. L.; Clark, T.; Gasteiger, J.; Kollman, P. A.; Schaefer III, H. F.; Schreiner, P. R. (eds.); Wiley, Chichester, **1998**, 2665-71.
204. Ayala, P. Y.; Schlegel, H. B.; A non-orthogonal CI treatment of symmetry breaking in sigma formyloxyl radical. *J. Chem. Phys.* **1998**, *108*, 7560-67.
205. Martinez, F. N.; Schlegel, H. B.; Newcomb, M.; Ab Initio Molecular Orbital Calculations of Electronic Effects on the Kinetics of Cyclopropylcarbonyl Radical Ring Openings. *J. Org. Chem.* **1998**, *63*, 3618-23.
206. Baboul, A. G.; Schlegel, H. B.; Structures and Energetics of Some Potential Intermediates in Titanium Nitride Chemical Vapor Deposition: $\text{TiCl}_m(\text{NH}_2)_n$, $\text{TiCl}_m(\text{NH}_2)_n\text{NH}$, and $\text{TiCl}_m(\text{NH}_2)_n\text{N}$. An Ab Initio Molecular Orbital Study. *J. Phys. Chem. B* **1998**, *102*, 5152-57.
207. Bolton, K.; Hase, W. L.; Schlegel, H. B.; Song, K.; A Direct Dynamics Study of the $\text{F} + \text{C}_2\text{H}_4 \rightarrow \text{C}_2\text{H}_3\text{F} + \text{H}$ Product Energy Distributions. *Chem. Phys. Lett.* **1998**, *288*, 621-27.

208. Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Zakrzewski, V. G.; Montgomery, J. A.; Stratmann, R. E.; Burant, J. C.; Dapprich, S.; Millam, J. M.; Daniels, A. D.; Kudin, K. N.; Strain, M. C.; Farkas, O.; Tomasi, J.; Barone, V.; Cossi, M.; Cammi, R.; Mennucci, B.; Pomelli, C.; Adamo, C.; Clifford, S.; Ochterski, J.; Petersson, G.A.; Ayala, P. Y.; Cui, Q.; Morokuma, K.; Malick, D. K.; Rabuck, A. D.; Raghavachari, K.; Foresman, J. B.; Cioslowki, J.; Ortiz, J. V.; Stefanov, B. B.; Liu, G.; Liashenko, A.; Piskorz, P.; Komaromi, I.; Gomperts, R.; Martin, R. L.; Fox, D. J.; Keith, T.; Al-Laham, M. A.; Peng, C. Y.; Nanayakkara, A.; Gonzalez, C.; Challacombe, M.; Gill, P. M. W.; Johnson, B. G.; Chen, W.; Wong, M. W.; L Andres, J.; Head-Gordon, M.; Replogle, E. S.; Pople, J. A.; *GAUSSIAN 98*, Gaussian, Inc., Pittsburgh, PA, **1998**.
209. Wittbrodt, J. M.; Hase, W. L.; Schlegel, H. B.; An ab initio study of the interaction of water with cluster models of the aluminum terminated (0001) α -aluminum oxide surface. *J. Phys. Chem. B* **1998**, *102*, 6539-48.
210. Farkas, Ö.; Schlegel, H. B.; Methods for optimizing large molecules. I An $O(N^2)$ algorithm for solving systems of linear equations for coordinate transformations in quantum chemical geometry optimization. *J. Chem. Phys.* **1998**, *109*, 7100-4.
211. Halls, M. D.; Schlegel, H. B.; Comparison of the performance of local, gradient-corrected and hybrid density functional models in predicting infrared intensities. *J. Chem. Phys.* **1998**, *109*, 10587-93.
212. Perera, J.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H.; Ruthenium Complexes Bearing η^5 -Pyrazolato Ligands. *J. Am. Chem. Soc.* **1999**, *121*, 4536-37.
213. Bolton, K.; Schlegel, H. B.; Hase, W. L.; Song, K.; An Ab Initio quasi-classical direct dynamics investigation of the $F + C_2H_4 \rightarrow C_2H_3F + H$ Product Energy Distributions. *Phys. Chem. Chem. Phys.* **1999**, *1*, 999-1011.
214. Millam, J. M.; Bakken, V.; Chen, W.; Hase, W. L.; Schlegel, H. B.; Ab Initio Classical Trajectories on the Born-Oppenheimer Surface: Hessian-Based Integrators using Fifth Order Polynomial and Rational Function Fits. *J. Chem. Phys.* **1999**, *111*, 3800-5.
215. Pfeifer, D.; Ximba, B. J.; Liable-Sands, L. M.; Rheingold, A. L.; Heeg, M. J.; Coleman, D. M.; Schlegel, H. B.; Kuech, T. F.; Winter, C. H.; Synthesis, Structure and Molecular Orbital Studies of Yttrium, Erbium and Lutetium Complexes Bearing η^2 -Pyrazolato Ligands: Development of a New Class of Precursors for Doping Semiconductors. *Inorg. Chem.* **1999**, *38*, 4539-48.
216. Wittbrodt, J. M.; Schlegel, H. B.; Structures, Energetics and Transition States of the Silicon-Phosphorus Compounds Si_2PH_n ($n=7,5,3,1$). An Ab Initio Molecular Orbital Study. *J. Phys. Chem. A* **1999**, *103*, 8547-58.
217. Bakken, V.; Millam, J. M.; Schlegel, H. B.; Ab Initio Classical Trajectories on the Born-Oppenheimer Surface: Updating Methods for Hessian-Based Integrators. *J. Chem. Phys.* **1999**, *111*, 8773-77.
218. Halls, M. D.; Schlegel, H. B.; Comparison of the Prediction of Raman intensities Using Electronic Structure Methods. *J. Chem. Phys.* **1999**, *111*, 8819-24.
219. Farkas, Ö.; Schlegel, H. B.; Methods for optimizing large molecules. II Quadratic Search. *J. Chem. Phys.* **1999**, *111*, 10806-14.
220. Daniels, A. D.; Scuseria, G. E.; Farkas, O.; Schlegel, H. B.; Geometry optimization of kringle 1 of plasminogen using the PM3 semiempirical method. *Int. J. Quantum. Chem.* **2000**, *77*, 82-89.
221. Schlegel, H. B.; Perspective on "Ab initio calculation of force constants and equilibrium geometries in polyatomic molecules. I. Theory" by P. Pulay [Mol. Phys. 17, 197-204 (1969)]. *Theor. Chem. Acc.* **2000**, *103*, 294-96.

222. McGill, A. D.; Zhang, W.; Wittbrodt, J. M.; Wang, J.; Schlegel, H. B.; Wang, P. G. Para-substituted N-nitroso-N-oxybenzenamines ammonium salts: A new class of redox-sensitive nitric oxide releasing compounds. *Bioorg. Med. Chem.* **2000**, *8*, 405-12.
223. Sanchez-Galvez, A.; Hunt, P.; Robb, M.A.; Olivucci, M.; Vreven, T.; Schlegel, H.B. Ultrafast radiationless deactivation of organic dyes: Evidence for a two-state two-mode pathway in polymethine cyanines. *J. Am. Chem. Soc.* **2000**, *122*, 2911-24.
224. Sawilowsky, E. F.; Meroueh, O.; Schlegel, H. B.; Hase, W. L.; Structures, Energies, and Electrostatics for Methane Complexed with Alumina Clusters. *J. Phys. Chem. A* **2000**, *104*, 4920-27.
225. Cross, J. B.; Schlegel, H. B.; Molecular Orbital Studies of Titanium Nitride Chemical Vapor Deposition: Gas Phase Complex Formation, Ligand Exchange and Elimination Reactions. *Chem. Materials* **2000**, *12*, 2466-74.
226. Yu, Z.; Wittbrodt, J. M.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H. Unusually Stable Pyrazolate-Bridged Dialuminum Complexes Containing Bridging Methyl Groups. *J. Am. Chem. Soc.* **2000**, *122*, 9338-39.
227. Halls, M. D.; Schlegel, H. B.; Aroca, R.; Surface-Enhanced Vibrational Spectroscopy. Interpretation of the SERS Spectra of a Chemisorbed Adsorbate on Silver Islands. *J. Phys. Chem. A* **2000**, *104*, 9500-05.
228. Li, X.; Millam, J. M.; Schlegel, H. B. Ab initio molecular dynamics studies of the photodissociation of formaldehyde, $\text{H}_2\text{CO} \rightarrow \text{H}_2 + \text{CO}$. Direct classical trajectory calculations by MP2 and density functional theory. *J. Chem. Phys.* **2000**, *113*, 10062-67.
229. Halls, M. D.; Velkovski, J.; Schlegel, H. B. Harmonic Frequency Scaling Factors for Hartree-Fock, S-VWN, B-LPY, B3-LYP, B3-PW91 and MP2 with the Sadlej pVTZ electric property basis set. *Theor. Chem. Acc.* **2001**, *105*, 413-21.
230. Kotra, L. P.; Cross, J. B.; Shimura, Y.; Fridman, R.; Schlegel, H. B.; Mobashery, S. Insight into the Complex and Dynamic Process of Activation of Matrix Metalloproteinases. *J. Am. Chem. Soc.* **2001**, *123*, 3108-13.
231. Bakken, V.; Danovich, D.; Shaik, S.; Schlegel, H. B.; A Single Transition State Serves Two Mechanisms: An Ab Initio Classical Trajectory Study of the Electron Transfer and Substitution Mechanisms in Reactions of Ketyl Radical Anions with Alkyl Halides. *J. Am. Chem. Soc.* **2001**, *123*, 130-34.
232. Li, X.; Schlegel, H. B. Photodissociation of glyoxal. Resolution of a paradox. *J. Chem. Phys.* **2001**, *114*, 8-10.
233. Kudin, K.; Scuseria, G. E.; Schlegel, H. B.; A Redundant Internal Coordinate Algorithm for Optimization of Periodic Systems. *J. Chem. Phys.* **2001**, *114*, 2919-23.
234. Cross, J. B.; Smith, S. M.; Schlegel, H. B.; Molecular Orbital Studies of Titanium Nitride Chemical Vapor Deposition: Imido Dimer Formation and Elimination Reactions. *Chem. Materials* **2001**, *13*, 1095-100.
235. Cross, J. B.; Schlegel, H. B.; Molecular Orbital Studies of Titanium Nitride Chemical Vapor Deposition: Gas Phase β -Elimination. *Chem. Phys. Lett.* **2001**, *340*, 343-47.
236. Halls, M. D.; Schlegel, H. B.; DeWitt, M. J.; Drake, G. W. F.; Ab Initio Calculation of the $a^3\Sigma_u^+$ Interaction Potential and Vibrational Levels of ${}^7\text{Li}_2$. *Chem. Phys. Lett.* **2001**, *339*, 427-32.
237. Li, X.; Millam, J. M.; Schlegel, H. B. Glyoxal Photodissociation. An Ab Initio Direct Classical Trajectory Study of $\text{C}_2\text{H}_2\text{O}_2 \rightarrow \text{H}_2 + 2 \text{CO}$. *J. Chem. Phys.* **2001**, *114*, 8897-8904.

238. Lü, J.-M.; Wittbrodt, J. M.; Wang, K.; Wen, Z.; Schlegel, H. B.; Wang, P. G.; Cheng, J.-O. NO Affinities of S-nitrosothiols: A Direct and Computational Investigation of RS-NO Bond Dissociation Energies. *J. Am. Chem. Soc.* **2001**, *123*, 2903-4.
239. Halls, M. D.; Schlegel, H. B. Molecular Orbital Study of the First Excited State of the OLED Material Tris-(8-hydroxyquinoline)-aluminum(III). *Chem. Materials* **2001**, *13*, 2632-40.
240. Yu, Z.; Wittbrodt, J. M.; Xia, A.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H. Hydrogen and Dihydrogen Bonding as an Important Feature of the Reactivity of the Bridging Hydrogen in Pyrazolate-Bridged Dialuminum Complexes. *Organometallics*. **2001**, *20*, 4301-3.
241. Bach, R. D.; Baboul, A. G.; Schlegel, H. B.; Inversion Versus Retention of Configuration for Nucleophilic Substitution at Vinylic Carbon. *J. Am. Chem. Soc.* **2001**, *123*, 5787-93.
242. Schlegel, H. B.; Millam, J. M.; Iyengar, S. S.; Voth, G. A.; Daniels, A. D.; Scuseria, G. E.; Frisch, M. J.; Ab Initio Molecular Dynamics: Propagating the Density Matrix with Gaussian Orbitals. *J. Chem. Phys.* **2001**, *114*, 9758-63.
243. Chen, X.; Wen, Z.; Xian, M.; Wang, K.; Ramachandran, N.; Tang, X.; Schlegel, H. B.; Mutus, B.; Wang, P. G. Fluorophore-labeled S-Nitrosothiols. *J. Org. Chem.* **2001**, *66*, 6064-74.
244. Halls, M. D.; Tripp, C. P.; Schlegel, H. B.; Structure and Infrared (IR) Assignments for the OLED Material N,N'-diphenyl-N,N'-bis(1-naphthyl)-1,1'-biphenyl-4,4''-diamine (NPB). *Phys. Chem. Chem. Phys.* **2001**, *3*, 2131-36.
245. Yélamos, C.; Gust, K. R.; Baboul, A. G.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H. Early Transition Metal Complexes Containing 1,2,4-Triazolato and Tetraazolato Ligands: Synthesis, Structure and Molecular Orbital Studies. *Inorg. Chem.* **2001**, *40*, 6451-62.
246. Li, X.; Schlegel, H. B. Glyoxal Photodissociation. II. An Ab Initio Direct Classical Trajectory Study of $C_2H_2O_2 \rightarrow CO + H_2CO$. *J. Chem. Phys.* **2001**, *115*, 6907-12.
247. Iyengar, S. S.; Schlegel, H. B.; Millam, J. M.; Voth, G. A.; Scuseria, G. E.; Frisch, M. J.; Ab Initio Molecular Dynamics: Propagating the Density Matrix with Gaussian Orbitals. II. Generalizations Based on Mass-Weighting, Idempotency, Energy Conservation, and Choice of Initial Conditions. *J. Chem. Phys.* **2001**, *115*, 10291-302.
248. Njus, D.; Wigle, M.; Kelley, P. M.; Kipp, B. H.; Schlegel, H. B. Mechanism of Ascorbic Acid Oxidation by Cytochrome b₅₆₁. *Biochemistry* **2001**, *40*, 11905-11.
249. Hratchian, H.; Schlegel, H. B. Following Reaction Pathways Using a Damped Classical Trajectory Algorithm. *J. Phys. Chem. A* **2002**, *106*, 165-9.
250. Torrent, M.; Vreven, T.; Musaev, D. G.; Morokuma, K.; Farkas, O.; Schlegel, H. B.; Effects of the Protein Environment on the Structure and Energetics of Active Sites of Metalloenzymes. ONIOM Study of Methane Monooxygenase and Ribonucleotide Reductase. *J. Am. Chem. Soc.* **2002**, *124*, 192-193.
251. Farkas, Ö.; Schlegel, H. B.; Methods for optimizing large molecules. III An Improved Algorithm for Geometry Optimization using Direct Inversion of the Iterative Subspace (GDIIS). *Phys. Chem. Chem. Phys.* **2002**, *4*, 11-15.
252. Halls, M. D.; Schlegel, H. B.; Chemistry Inside Carbon Nanotubes: Enhancement of the Menshutkin S_N2 Reaction. *J. Phys. Chem. B* **2002**, *106*, 1921-25.
253. Seneviratne, D. S.; Uddin, M. J.; Swayambunathan, V.; Schlegel, H. B.; Endicott, J. F.; Characteristics and Properties of Metal-to-Ligand-Charge-Transfer Excited States of 2,3-bis(2-Pyridyl)Pyrazine and 2,2'-Bipyridine Ruthenium Complexes. Perturbation Theory-Based Correlations with Electrochemistry and Thermal Kinetics, and Related Ab-Initio Calculations *Inorg. Chem.* **2002**, *41*, 1502-17.

254. Gust, K. R.; Knox, J. E.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H.; Synthesis, Structure, and Molecular Orbital Calculations of Chromium(III) and Iron(III) Complexes Containing η^2 -Pyrazolato Ligands. *Angew. Chem., Int. Ed.* **2002**, *41*, 1591-94.
255. Li, X.; Anand, S.; Millam, J. M.; Schlegel, H. B.; An Ab Initio Direct Classical Trajectory Study of s-Tetrazine Photodissociation. *Phys. Chem. Chem. Phys.* **2002**, *4*, 2554 - 59.
256. Rigby, J. H.; Neale, N. A.; Schlegel, H. B.; Mechanistic Studies on Reactions of Bis(alkylthio)carbenes with Vinyl Isocyanates, *Heterocycles* **2002**, *58*, 105-113.
257. Gust, K. R.; Knox, J. E.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H.; Synthesis, Structure, and Molecular Orbital Calculations of Vanadium(III) Pyrazolato Complexes. Understanding η^2 -Pyrazolato Ligand Coordination on d^2 Metal Centers. *Eur. J. Inorg. Chem.* **2002**, *2002*, 2327-34.
258. Li, X.; Liu, L.; Schlegel, H. B.; On the Physical Origin of Blue-Shifted Hydrogen Bonds. *J. Am. Chem. Soc.* **2002**, *124*, 9639-47.
259. Schlegel, H. B.; Iyengar, S. S.; Li, X.; Millam, J. M.; Voth, G. A.; Scuseria, G. E.; Frisch, M. J.; Ab Initio Molecular Dynamics: Propagating the Density Matrix with Gaussian Orbitals. III. Comparison with Born-Oppenheimer Dynamics. *J. Chem. Phys.* **2002**, *117*, 8694-8704.
260. Anand, S.; Schlegel, H. B.; Unimolecular Dissociation of Formyl Halides: An Ab Initio Direct Classical Trajectory Study *J. Phys. Chem. A* **2002**, *106*, 11623-29.
261. Endicott, J. F.; Schlegel, H. B.; Uddin, M. J.; Seneviratne, D. S.; MLCT excited states and charge delocalization in some ruthenium-amine-polypyridyl complexes. *Coord. Chem. Rev.* **2002**, *229*, 95-106.
262. Endicott, J. F.; Uddin, M. J.; Schlegel, H. B.; Some Spectroscopic Aspects of Electron Transfer in Ruthenium(II) Polypyridyl Complexes. *Res. Chem. Intermed.* **2002**, *28*, 761-777.
263. Iyengar, S. S.; Schlegel, H. B.; Voth, G. A.; Millam, J. M.; Scuseria, G. E.; Frisch, M. J.; Ab Initio Molecular Dynamics: Propagating the Density Matrix with Gaussian Orbitals. IV. Formal Analysis of the Deviations from Born-Oppenheimer Dynamics. *Israeli J. Chem.* **2002**, *42*, 191-202.
264. Smith, S. M.; Schlegel, H. B.; Molecular Orbital Studies of Zinc Oxide Chemical Vapor Deposition: Gas Phase Hydrolysis of Diethyl Zinc, Elimination Reactions, and Formation of Dimers and Tetramers. *Chem. Mater.* **2003**, *15*, 162-166.
265. Schlegel, H. B.; Exploring Potential Energy Surfaces for Chemical Reactions: An Overview of Practical Methods. *J. Comput. Chem.* **2003**, *24*, 1514-1527.
266. Vreven, T.; Morokuma, K.; Farkas, Ö.; Schlegel, H. B.; Frisch, M. J.; Geometry Optimization with Combined Methods. I. Micro-Iterations and Constraints. *J. Comput. Chem.* **2003**, *24*, 760-769.
267. Schlegel, H. B.; Ab Initio Molecular Dynamics with Born-Oppenheimer and Extended Lagrangian Methods Using Atom Centered basis Functions. *Bul. Kor. Chem. Soc.* **2003**, *24*, 837-842.

268. M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, J. A. Montgomery, Jr., T. Vreven, K. N. Kudin, J. C. Burant, J. M. Millam, S. S. Iyengar, J. Tomasi, V. Barone, B. Mennucci, M. Cossi, G. Scalmani, N. Rega, G. A. Petersson, H. Nakatsuji, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, M. Klene, X. Li, J. E. Knox, H. P. Hratchian, J. B. Cross, C. Adamo, J. Jaramillo, R. Gomperts, R. E. Stratmann, O. Yazyev, A. J. Austin, R. Cammi, C. Pomelli, J. W. Ochterski, P. Y. Ayala, K. Morokuma, G. A. Voth, P. Salvador, J. J. Dannenberg, V. G. Zakrzewski, S. Dapprich, A. D. Daniels, M. C. Strain, O. Farkas, D. K. Malick, A. D. Rabuck, K. Raghavachari, J. B. Foresman, J. V. Ortiz, Q. Cui, A. G. Baboul, S. Clifford, J. Cioslowski, B. B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. L. Martin, D. J. Fox, T. Keith, M. A. Al-Laham, C. Y. Peng, A. Nanayakkara, M. Challacombe, P. M. W. Gill, B. Johnson, W. Chen, M. W. Wong, C. Gonzalez, and J. A. Pople, *GAUSSIAN 03*, Gaussian, Inc., Pittsburgh PA, 2003.
269. Markevitch, A. N.; Smith, S. M.; Romanov, D. A.; Schlegel, H. B.; Ivanov, M. Y.; Levis, R. J.; Nonadiabatic Dynamics of Polyatomic Molecules and Ions in Strong Laser Fields. *Phys. Rev. A* **2003**, *68*, 011402(R).
270. Iyengar, S. S.; Schlegel, H. B.; Voth, G. A.; Atom-centered Density Matrix Propagation (ADMP). Generalizations using Bohmian Mechanics. *J. Phys. Chem. A* **2003**, *107*, 7269-77.
271. Li, X.; Millam, J. M.; Scuseria, G. E.; Frisch, M. J.; Schlegel, H. B.; Density Matrix Search using Direct Inversion in the Iterative Subspace as a Linear Scaling Alternative to Diagonalization in Electronic Structure Calculations. *J. Chem. Phys.* **2003**, *119*, 7651-58.
272. Xia, A.; Knox, J. E.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H.; Synthesis, Structure and Properties of Magnesocene Amine Adducts. Structural Distortions Arising from N-H—C₅H₅⁻ Hydrogen Bonding and Molecular Orbital Calculations Thereof. *Organometallics* **2003**, *22*, 4060-69.
273. Sirimanne, C.; Knox, J. E.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H.; Synthesis, Structure, Bridge-Terminal Exchange Kinetics, and Molecular Orbital Calculations of Pyrazolate-Bridged Digallium Complexes Containing Bridging Phenyl Groups, *J. Am. Chem. Soc.* **2003**, *125*, 11152-53.
274. Farkas, Ö.; Schlegel, H. B.; Geometry optimization Methods for Modeling Large Molecules. *J. Mol. Struct. THEOCHEM.* **2003**, *666*, 31-39.
275. Li, X.; Schlegel, H. B.; *Ab Initio* Classical Trajectory Calculations of Acetylene Dication Dissociation. *J. Phys. Chem. A* **2004**, *108*, 468-72.
276. Knox, J. E.; Hratchian, H. P.; Trease, N.; Struble, J.; Schlegel, H. B.; Holmes, H.; Using Stationary Points on Potential Energy Surfaces to Model Intermolecular Interactions and Retention in GC. *Chromatographia* **2004**, *59*, 329-34.
277. Anand, S.; Zamari, M. M.; Menkir, G.; Levis, R. J.; Schlegel, H. B.; Fragmentation pathways in a series of CH₃COX molecules in the strong field regime *J. Phys. Chem. A* **2004**, *108*, 3162-3165.
278. Hratchian, H. P.; Schlegel, H. B.; Accurate Reaction Paths Using a Hessian Based Predictor-Corrector Integrator. *J. Chem. Phys.* **2004**, *120*, 9918-9924.
279. Rega, N.; Iyengar, S. S.; Voth, G. A.; Schlegel, H. B.; Vreven, T.; Frisch, M. J.; Hybrid *Ab Initio* / Empirical Molecular Dynamics: Combining the ONIOM Scheme with the Atom-Centered Density Matrix Propagation (ADMP) Approach. *J. Phys. Chem. B* **2004**, *108*, 4210-4220.
280. Markevitch, A. N.; Romanov, D. A.; Smith, S. M.; Schlegel, H. B.; Ivanov, M. Y.; Levis, R. J.; Sequential Nonadiabatic Excitation of Large Molecules and Ions Driven by Strong Laser Fields. *Phys. Rev. A* **2004**, *69*, 013401.

281. Hratchian, H. P.; Chowdhury, S. K.; Gutierrez-Garcia, V. M.; Amarasinghe, K. K. D.; Heeg, M. J.; Schlegel, H. B.; Montgomery, J.; A Combined Experimental and Computational Investigation of the Mechanism of Nickel-Catalyzed Three Component Addition Processes. *Organomet.* **2004**, *23*, 4636-4646; 5652.
282. Li, J.; Li, X.; Shaik, S.; Schlegel, H. B.; A Single Transition State Serves Two Mechanisms. Ab Initio Classical Trajectory Calculations of the Substitution – Electron Transfer Branching Ratio in $\text{CH}_2\text{O}^- + \text{CH}_3\text{Cl}$. *J. Phys. Chem. A* **2004**, *108*, 8526-8532.
283. Birck, C.; Cha, J. Y.; Cross, J.; Schulze-Briese, C.; Meroueh, S. O.; Schlegel, H. B.; Mobashery, S.; Samama, Jean-Pierre The X-Ray Crystal Structure of the Acylated β -Lactam Sensor Domain of BlaR1 from *Staphylococcus aureus* and the Mechanism of Receptor Activation for Signal Transduction, *J. Am. Chem. Soc.* **2004**, *126* 13945-13947.
284. Anand, S.; Schlegel, H. B.; Dissociation of Acetone radical cation, $\text{CH}_3\text{COCH}_3^{+\cdot} \rightarrow \text{CH}_3\text{CO}^+ + \text{CH}_3\cdot$: An *ab-initio* direct classical trajectory study. *Phys. Chem. Chem. Phys.* **2004**, *6*, 5166 - 5171.
285. Smith, S. M.; Markevitch, A. N.; Romanov, D. A.; Li, X.; Levis, R. J.; Schlegel, H. B.; Static and Dynamic Polarizabilities of Conjugated Molecules and Their Cations. *J. Phys. Chem. A* **2004**, *108*, 11063-11072.
286. Yu, Z.; Knox, J. E.; Korolev, A. V.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H.; Synthesis, Characterization, and Hydrolysis Products of $(\eta^2\text{-tBu}_2\text{pz})\text{AlH}(\mu\text{:}\eta^1, \eta^1\text{-tBu}_2\text{pz})_2\text{AlH}_2$. Structural Characterization of a Complex Containing η^1 -, η^2 -, and $\mu\text{:}\eta^1, \eta^1$ -Pyrazolato Ligands and a Complex Containing a Terminal Hydroxo Ligand. *Eur. J. Inorg. Chem.* **2005**, 330-337 (10.1002/ejic.200400660)
287. Li, X.; Smith, S. M.; Markevitch, A. N.; Romanov, D. A.; Levis, R. J.; Schlegel, H. B.; A time-dependent Hartree-Fock approach for studying the electronic optical response of molecules in intense fields. *Phys. Chem. Chem. Phys.* **2005**, *7*, 233-239 (10.1039/b415849k)
288. Hratchian, H. P.; Schlegel, H. B.; Using Hessian Updating to Increase the Efficiency of a Hessian Based Predictor-Corrector Reaction Path Following Method. *J. Chem. Theory Comput.* **2005**, *1*, 61-69 (10.1021/ct0499783)
289. Hratchian, H. P.; Schlegel, H. B.; Finding Minima, Transition States, and Following Reaction Pathways on Ab Initio Potential Energy Surfaces, in *Theory and Applications of Computational Chemistry: The First 40 Years*, Dykstra, C.E.; Kim, K. S.; Frenking, G.; Scuseria, G. E. (eds.), Elsevier, **2005**, pg 195 - 249.
290. Cross, J. B.; Vreven, T.; Meroueh, S. O.; Mobashery, S.; Schlegel, H. B.; Computational Investigation of Irreversible Inactivation of the Zinc-Dependent Protease Carboxypeptidase A. *J. Phys. Chem. B* **2005**, *109*, 4761-4769 (10.1021/jp0455172)
291. Li, J.; Cross, J. B.; Vreven, T.; Meroueh, S. O.; Mobashery, S.; Schlegel, H. B.; Lysine Carboxylation in Proteins: OXA-10 β Lactamase. *Proteins: Struct., Funct., Bioinf.* **2005**, *61*, 246-257 (10.1002/prot.20596)
292. Smith, S. M.; Li, X.; Alexei N. Markevitch, A. N.; Romanov, D. A.; Robert J. Levis, R. J.; Schlegel, H. B.; Numerical Simulation of Nonadiabatic Electron Excitation in the Strong Field Regime: Linear Polyenes. *J. Phys. Chem. A* **2005**, *109*; 5176-5185 (10.1021/jp050968n)
293. Kobrsi, I.; Knox, J. E.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H.; Weak Carbon-Hydrogen-Nitrogen Interactions Affect the Heterocyclic Ligand Bonding Modes in Barium Complexes Containing η^2 -Tetrazolato and η^2 -Pentazolato Ligands. *Inorg. Chem.* **2005**, *44*, 4894-4896 (10.1021/ic048171i)

294. Iyengar, S. S.; Schlegel, H. B.; Scuseria, G. E.; Millam, J. M.; Frisch, M. J.; Comment on "Curvy-steps approach to constraint-free extended-Lagrangian ab initio molecular dynamics, using atom-centered basis functions: Convergence toward Born-Oppenheimer trajectories" [J. Chem. Phys. 121, 11542 (2004)]. *J. Chem. Phys.* **2005**, *123*, 027101 (2 pgs) (10.1063/1.1944720)
295. Li, X.; Tully, J. C.; Schlegel, H. B.; Frisch, M. J.; Ab Initio Ehrenfest Dynamics. *J. Chem. Phys.* **2005**, *123*, 084106 (7 pgs) (10.1063/1.200858)
296. Hratchian, H. P.; Sonnenberg, J. L.; Hay, P. J.; Martin, R. L.; Bursten, B. E.; Schlegel, H. B.; Theoretical Investigation of Uranyl Dihydroxide: Oxo Ligand Exchange, Water Catalysis, and Vibrational Spectra. *J. Phys. Chem. A* **2005**, *109*, 8579-8586 (10.1021/jp052616m)
297. Meroueh, S. O.; Fisher, J. F.; Schlegel, H. B.; Mobashery, S.; Ab initio QM/MM Study of Class A β -Lactamase Acylation: Dual Participation of Glu166 and Lys73 in a Concerted Base Promotion of Ser 70. *J. Am. Chem. Soc.* **2005**, *127*, 15397-15407 (10.1021/ja051592u)
298. Imbert, C.; Hratchian, H. P.; Lanznaster, M.; Heeg, M. J.; Hryhorczuk, L. M.; McGarvey, B. R.; Schlegel, H. B.; Verani, C. N.; Influence of Ligand Rigidity and Ring Substitution on the Structural and Electronic Behavior of Trivalent Iron and Gallium Complexes with Asymmetric Tridentate Ligands. *Inorg. Chem.* **2005**, *44*, 7414-7422 (10.1021/ic050658j)
299. Smith, S. M.; Li, X.; Markevitch, A. N.; Romanov, D. A.; Levis, R. J.; Schlegel, H. B.; Numerical Simulation of Nonadiabatic Electron Excitation in the Strong Field Regime: 2. Linear Polyene Cations. *J. Phys. Chem. A* **2005**, *109*, 10527-10534 (10.1021/jp053696x)
300. Anand, S.; Schlegel, H. B.; Dissociation of Benzene dication $[C_6H_6]^{2+}$: Exploring the potential energy surface. *J. Phys. Chem. A* **2005**, *109*, 11551-11559 (10.1021/jp053907y)
301. Anand, S.; Varnavski, O.; Marsden, J. A.; Haley, M. M.; Schlegel, H. B.; Goodson, T. Optical Excitations in Carbon Architectures Based on Dodecadehydrotribenzo [18] annulene. *J. Phys. Chem. A* **2006**, *110*, 1305-1318 (10.1021/jp0539573)
302. Lanznaster, M.; Hratchian, H. P.; Heeg, M. J.; Hryhorczuk, L. M.; McGarvey, B. R.; Schlegel, H. B.; Verani, C. N.; Structural and Electronic Behavior of Unprecedented Five-coordinate Iron(III) and Gallium(III) Complexes with a New Phenol-rich Electroactive Ligand. *Inorg. Chem.* **2006**, *45*, 955-957 (10.1021/ic050809i)
303. Li, J.; Shaik, S.; Schlegel, H. B.; A Single Transition State Serves Two Mechanisms. The Branching Ratio for $CH_2O^+ + CH_3Cl$ on Improved Potential Energy Surfaces. *J. Phys. Chem. A* **2006**, *110*, 2801-2806 (10.1021/jp0563336)
304. Li, J.; Wang, G. Peng; Schlegel, H. B.; A Computational Exploration of Some Transnitrosation and Thiolation Reactions Involving CH_3SNO , CH_3ONO and CH_3NHNO . *Org. Biomol. Chem.* **2006**, *4*, 1352-1364 (10.1039/b600177g)
305. Knox, J. E.; Halls, M. D.; Hratchian, H. P.; Schlegel, H. B.; Chemical Failure Modes of AlQ3-based OLEDs: AlQ3 Hydrolysis. *Phys. Chem. Chem. Phys.* **2006**, *8*, 1371-1377 (10.1039/b514898g)
306. Munk, B. H.; Schlegel, H. B.; Molecular Orbital Studies of Zinc Oxide Chemical Vapor Deposition: Gas Phase Radical Reactions. *Chem. Mater.* **2006**, *18*, 1878-1884 (10.1021/cm052314x)
307. Anand, S.; Schlegel, H. B.; Electronic Excitations in Anti-Aromatic dehydro[12]- and Aromatic dehydro[18] Annulenes: A Time-dependent density functional theory study. *Mol. Phys.* **2006**, *104*, 933-941 (10.1080/00268970500418042)
308. Vreven, T.; Frisch, M. J.; Kudin, K. N.; Schlegel, H. B.; Morokuma, K.; Geometry Optimization with QM/MM Methods II: Explicit Quadratic Coupling. *Mol. Phys.* **2006**, *104*, 701-714 (10.1080/00268970500417846)

309. Knox, J. E.; Halls, M. D.; Schlegel, H. B.; Guest Species / Discrete Carbon Nanotube Inner Phase Charge Transfer and External Ionization. *J. Comput. Theor. Nanosci.* **2006**, *3*, 398–404 (10.1166/jctn.2006.010)
310. Schlegel, H. B.; Sonnenberg, J. L.; Empirical Valence Bond Models for Reactive Potential Energy Surfaces Using Distributed Gaussians. *J. Chem. Theory Comput.* **2006**, *2*, 905-911 (10.1021/ct600084p)
311. Shakya, R.; Imbert, C.; Hratchian, H. P.; Lanznaster, M.; Heeg, M. J.; McGarvey, B. R.; Allard, M.; Schlegel, H. B.; Verani, C. N.; Structural, spectroscopic, and electrochemical behavior of trans-phenolato cobalt(III) complexes of asymmetric NN'O ligands as archetypes for metallomesogens. *Dalton Trans.*, **2006**, 2517–2525 (10.1039/b514190g)
312. Kobrsi, I.; Zheng, W.; Knox, J. E.; Heeg, M. J.; Schlegel, H. B.; Winter, C. H.; Experimental and Theoretical Study of the Coordination of 1,2,4-Triazolato, Tetrazolato, and Pentazolato Ligands to the [K(18-crown-6)]⁺ Fragment. *Inorg. Chem.* **2006**, *45*, 8700-8710 (10.1021/ic061256u)
313. Psciuk, B. T.; Benderskii, V. A.; Schlegel, H. B.; Protonated Acetylene Revisited. *Theor. Chem. Acc.* **2007**, *118*, 75-80 (10.1007/s00214-006-0242-x)
314. Munk, B. H.; Burrows, C. J.; Schlegel, H. B.; An Exploration of Mechanisms for the Transformation of 8-Hydroxy Guanine Radical to FAPyG by Density Functional Theory. *Chem. Res. Toxicol.* **2007**, *20*, 432-444 (10.1021/tx060187t)
315. Chaka, G.; Sonnenberg, J. L.; Schlegel, H. B.; Heeg, M. J.; Jaeger, G.; Nelson, T. J.; Ochrymowycz, L. A.; Rorabacher, D. B.; A Definitive Example of a Geometric “Entatic State” Effect: Electron-Transfer Kinetics for a Copper(II/I) Complex Involving a Quinquedentate Macrocyclic Trithiaether-Bipyridine Ligand. *J. Am. Chem. Soc.* **2007**, *129*, 5217-5227 (10.1021/ja068960u)
316. Aduri, R.; Psciuk, B. T.; Saro, P.; Taniga, H.; Schlegel, H. B.; SantaLucia, J., Jr.; AMBER Force Field Parameters for the Naturally Occurring Modified Nucleosides in RNA, *J. Chem. Theory Comput.* **2007**, *3*, 1464-1475 (10.1021/ct600329w)
317. Smith, S. M.; Li, X.; Markevitch, A. N.; Romanov, D. A.; Levis, R. J.; Schlegel, H. B.; Numerical Simulation of Nonadiabatic Electron Excitation in the Strong Field Regime: 3. Polyacene Neutrals and Cations. *J. Phys. Chem. A* **2007**, *111*, 6920-6932 (10.1021/jp070380b)
318. Schlegel, H. B.; Smith, S. M.; Li, X.; Electronic Optical Response of Molecules in Intense Fields: Comparison of TD-HF, TD-CIS and TD-CIS(D) Approaches. *J. Chem. Phys.* **2007**, *126*, 244110 (13 pgs) (10.1063/1.2743982)
319. Sonnenberg, J. L.; Schlegel, H. B.; Empirical Valence Bond Models for Reactive Potential Energy Surfaces II: Intramolecular Proton Transfer in Pyridone and the Claisen Reaction of Allyl Vinyl Ether. *Mol. Phys.* **2007**, *105*, 2719-2729 (10.1080/00268970701622277)
320. Munk, B. H.; Burrows, C. J.; Schlegel, H. B.; Exploration of Mechanisms for the Transformation of 8-Oxoguanine to Guanidinohydantoin and Spirodihydantoin by Density Functional Theory. *J. Am. Chem. Soc.* **2008**, *130*, 5245-5256 (10.1021/ja7104448)
321. Zhou, J.; Schlegel, H. B.; Dissociation of acetone radical cation ($\text{CH}_3\text{COCH}_3^{+\cdot} \rightarrow \text{CH}_3\text{CO}^+ + \text{CH}_3$): An *ab initio* direct classical trajectory study of the energy dependence of the branching ratio. *J. Phys. Chem. A* **2008**, *112*, 13121–13127 (10.1021/jp8057492)
322. Verdolino, V.; Cammi, R.; Munk, B. H.; Schlegel, H. B.; Calculation of pK_a Values of Nucleobases and the Guanine Oxidation Products Guanidinohydantoin and Spiroiminodihydantoin using Density Functional Theory and a Polarizable Continuum Model. *J. Phys. Chem. A* **2008**, *112*, 16860–16873 (10.1021/jp8068877)
323. Ye, Y.; Munk, B. H.; Muller, J. G.; Cogbill, A.; Burrows, C. J.; Schlegel, H. B.; Mechanistic and Kinetic Aspects of the Formation of Guanidinohydantoin from Spiroiminodihydantoin under Acidic Conditions. *Chem. Res. Toxicol.* **2009**, *22*, 526-535 (10.1021/tx800402y)

324. Zhou, J.; Schlegel, H. B.; Large non-statistical branching ratio in the dissociation of pentane-2,4-dione radical cation: An *ab initio* direct classical trajectory study. *J. Phys. Chem. A* **2009**, *113*, 1453-1458 (10.1021/jp810099b)
325. Sonnenberg, J. L.; Hratchian, H. P.; Schlegel, H. B.; Spin Contamination in Inorganic Chemistry Calculations, in *Computational Inorganic and Bioinorganic Chemistry*, Solomon, E. I.; Scott, R. A.; King, R. B. (eds.), Wiley, Chichester, **2009**, 173-186.
326. Sonnenberg, J. L.; Wong, K. F.; Voth, G. A.; Schlegel, H. B.; A distributed Gaussian valence bond surface derived from ab initio calculations. *J. Chem. Theory Comput.* **2009**, *5*, 949-961 (10.1021/ct800477y)
327. Tao, P.; Fisher, J. F.; Mobashery, S.; Schlegel, H. B.; DFT Studies of the Ring-Opening Mechanism of SB-3CT, a Potent Inhibitor of Matrix Metalloproteinase 2 *Org. Lett.*, **2009**, *11*, 2559-2562 (10.1021/ol9008393)
328. Zhou, J.; Schlegel, H. B.; Ab Initio Classical Trajectory Study of the Dissociation of Neutral and Positively Charged Methanimine ($\text{CH}_2\text{NH}^{n+}$, $n=0-2$). *J. Phys. Chem.*, **2009**, *113*, 9958-9964. (10.1021/jp905420v)
329. Tao, P.; Fisher, J. F.; Shi, Q.; Vreven, T.; Mobashery, S.; Schlegel, H. B.; Matrix Metalloproteinases 2 (MMP2) Inhibition: QM/MM Studies of the Inhibition Mechanism of SB-3CT and its Analog. *Biochem.* **2009**, *48*, 9839-9847. (10.1021/bi901118r)
330. Tao, P.; Gatti, D. L.; Schlegel, H. B.; The Energy Landscape of KDO8P Synthase. *Biochem.* (accepted).
331. Wong, K. F.; Paesani, F.; Sonnenberg, J. L.; Yamamoto, T.; Vaniček, J.; Zhang, W.; Schlegel, H. B.; Case, D. A.; Cheatham, T. E.; Miller, W. H.; Voth, G. A.; Proton Transfer Studied Using a Reactive Potential Energy Surface Combined with Quantum Path Integrals. *J. Chem. Theory Comput.* (submitted).